

-  Made of Cast Iron Material
-  Industrial-Grade Sweden / Japan Imported Valve


UE-10

UE-20

UB-30

UB-40

UB-55

UB-75

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UE-10	1	0.75	ø51*1	77	2.7	115	8	1000	240*180*280	9	19.8
UE-20	2	1.5	ø51*2	185	6.5	145	10	1000	380*295*340	17	37
UB-30	3	2.2	ø65*2	335	11.8	145	10	1100	400*300*360	19	42
UB-40	4	3	ø65*3	525	18.5	145	10	1100	470*360*400	26	57
UB-55	5.5	4	ø80*2	603	21.3	145	10	1000	470*360*400	31	68
UB-75	7.5	5.5	ø80*3	994	35	145	10	1100	550*360*460	36	79

UB&UT
Two Stage Air Pump

UB-40T

-  Made of Cast Iron Material

-  Heavy Duty


UB-55T

UT-75

UT-150

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UB-40T	3	2.2	ø65*2	350	12.4	175	12	1100	470*360*400	24	53
UB-55T	4	3	ø90*1	400	14.1	175	12	1050	470*360*400	36	79
UT-75	7.5	5.5	ø80*2	660	23.3	175	12	1100	550*360*460	37	81
UT-150	15	11	ø120*2	1630	57.6	175	12	900	760*480*630	150	330

UT

Two Stage Heavy-Duty Air Pump

- Made of Cast Iron Material
- Needle Bearing
- Highly Efficient Paper Inlet Air Filter with Metal Housing




UT-100



UT-55



UT-200



UT-300

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UT-55	5.5	4	ø105*1	560	19.8	175	12	730	1080*960*660(4)	74	163
UT-100	10	7.5	ø105*2	1125	39.7	175	12	730	2260*790*650(4)	102	224
UT-200	20	15	ø155*1	2080	73.4	175	12	950	680*610*940(1)	168	370
UT-300	30	22	ø155*2	3588	126.7	175	12	820	1040*680*935(1)	304	669

Unoair®


FB

Heavy-Duty Single Stage Air Pump


- Made of Cast Iron Material
- Low RPM Design, Excellent Durability and High Efficiency



FB-55




FB-100



FB-75



FB-75B



FB-150

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
FB-55	5.5	4	ø80*2	605	21.4	145	10	1000	510*340*450	43	95
FB-75	7.5	5.5	ø80*3	905	32	145	10	1000	620*380*460	64	141
FB-75B	7.5	5.5	ø100*2	880	31.1	145	10	800	620*360*480	77	169
FB-100	10	7.5	ø100*3	1400	49.4	145	10	850	670*410*530	101	222
FB-150	15	11	ø120*3	2170	76.6	145	10	800	800*480*630	150	330

- Made of Cast Iron Material
- Low Vibration and Excellent Heat Dissipation



UH-20



UH-30



UH-40



UH-55




UH-30L

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UH-20	2	1.5	ø65*1	180	6.35	145	10	1180	280*280*380	14	31
UH-30	3	2.2	ø65*2	390	13.8	145	10	1180	330*320*390	21.5	48
UH-40	4	3	ø70*2	530	18.7	145	10	1180	330*320*390	24	53
UH-55	5.5	4	ø80*2	600	21.2	145	10	1000	400*400*460	41	90
UH-30L	3	2.2	ø65*2	390	13.8	145	10	1150	270*240*290	16	35

UHT

Two Stage Vertical-Type Air Pump



UHT-75



UHT-55

- Industrial-Grade Sweden Imported Valve
- High Quality Paper Inlet Air Filter
- Copper Intercooler

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UHT-55	5.5	4	ø105*1	560	19.8	175	12	1000	400*400*530	54	119
UHT-75	7.5	5.5	ø105*1	640	22.6	175	12	830	1080*960*700(4)	63	139

AH&AHT

Aluminum Air Pump

- Made of High Quality Aluminum
- Cast-Iron Flywheel for Stable and Consistent Output
- Lightweight While Maintaining Outstanding Cooling Performance



AH-20



AH-30



AH-40



AHT-75

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
AH-20	2	1.5	ø60*2	224	7.9	145	10	1100	295*295*380	11	24
AH-30	3	2.2	ø60*2	360	12.7	145	10	1100	395*300*420	12.5	27.5
AH-40	4	3	ø65*2	423	14.9	145	10	1100	395*300*420	13	29
AHT-75	7.5	5.5	ø105*1	571	20	175	12	1100	400*330*460	26	57

Unoair

UF&TF

Oil-Free Air Pump

- Made of Cast Iron Material
- Self-Lubricating Piston Pins
- All Rotating Joints Use Enclosed Bearings



UF-20



UF-40



TF-40



TF-100



TF-150



TF-200

Model	Power		Cyl.	Air Displacement		Max Pressure		RPM	Packing (LxWxH)	N.W	
	HP	kW	mm	L/min	CFM	PSI	Bar	r/min	mm	kg	Lbs
UF-20	2	1.5	ø70*2	240	8.5	115	8	700	370*280*340	21	45
	3	2.2		295	10.4	115	8	850			
UF-40	4	3	ø95*2	510	18	115	8	600	520*320*460	42	92
	5.5	4		650	23	115	8	760			
TF-40	4	3	ø95*1	340	12	145	10	800	520*320*460	44	97
TF-100	7.5	5.5	ø95*2	765	27	145	10	750	610*360*580	55	121
	10	7.5		970	34.2	145	10	950			
TF-150	15	11	ø110*2	1280	45.2	145	10	900	750*400*550	89	196
TF-200	20	15	ø125*2	1880	66.4	145	10	900	800*430*550	115	253